
## NOTES:

I. MATERIALS AND FINISHES: BODY - BRASS, WHITEBRONZE PLATING (.000080" THICK MIN)
CONTACT - BeCu, GOLD PLATING (.000030" THICK MIN)
INSULATOR - PTFE


## 2. ELECTRICAL:


A. IMPEDANCE: 50 OHM
B. FREQUENCY RANGE: DC - 6 GHz
C. VSWR(RETURN LOSS): -32 dB TO 3 GHz, -25 dB TO 6 GHz
D. DIELECTRIC WITHSTANDING VOLTAGE: 1000 VRMS, MIN.

A. DURABILITY: 500 CYCLES MIN.
B. TEMPERATURE RANGE: -65° C TO 165° C



930-127J-5IS	REVISIONS						
DRAWING NO.		DESCRIPTION	DATE	ECO	APPR		
THIRD ANGLE PROJ. 🕀 🖯	A	RELEASE TO MFG.	9/22/04	45157	HP		
	В	CHGD PLATING ON BODY TO WHITEBRONZE IN NOTE I	3/10/06	45961	HP		





# **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:  2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES  ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°  NOTICE - These drawings, specifications, or other data (1) are, and remain the	MATERIAL	DRAWN H. PARIKH ENGINEER	DATE 23-Aug-04 DATE	OMA (F) STR BULKHEAD RCPT FRONT MOUNT	Amphenol RF  Danbury, CT, USA  Tainan, Taiwan  Shenzhen, China  www.amphenolrf.com	
property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or	REFERENCE EAR#   185	H. PARIKH APPROVED	23 - Aug - 04 DATE			
other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting	615X-2087-100	O. BARTHELMES	9/16/04		SCALE: 10.0:1 SHEET 2 OF 2	
rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		CAD FILE 1:\QMA\930-127J-51S		code id dwg sizedrawi 74868 B	NG NO. REV 930-127J-51S B	