

RAD-ISM-900-ANT-OMNI-FG-3-N

Order No.: 2867791

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867791>Omnidirectional antenna, IP65 protection, gain 5 dBi, connection N
(female)**Commercial data**

GTIN (EAN)	
Note	Made-to-order
sales group	H179
Pack	1 pcs.
Customs tariff	85177019
Catalog page information	Page 644 (IF-2009)

Product notesWEEE/RoHS-compliant since:
01/01/2007

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General data**

Frequency range	902 - 928 MHz
	902 MHz ... 928 MHz
Horizontal beamwidth	360 °
Vertical beamwidth	28 °
Impedance	50 Ω

Gain	5.15 dBi
Type of connection	N (female)
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 80 °C
Width	2.38 in.
Height	44.25 in.

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;