



DK10N-PE

DIN

>

:2021-09-08

:1.2



circuit diagram

M4, Green-Yellow (default)

| | |
|-------|---|
| | DIN rail terminal blocks, Grounding terminal blocks |
| | Grounding terminal blocks |
| | Green-Yellow (default) |
| | Screw connection |
| | Rail mounting |
| (mm) | 10 |
| (mm) | 47.15 |
| (mm) | 50.2 |
| | Single level |
| | 2 |
| | PA |
| | I |
| UL 94 | V0 |
| | -IEC |
| (A) | 57 |

| | | |
|---------------------------------|--------------------|---------|
| (II/2)(KV) | | 8 |
| (III/2)(KV) | | 8 |
| (III/3)(KV) | | 8 |
| (mm ²) | | 0.5 |
| (mm ²) | | 16 |
| (mm ²) | | 0.5 |
| (mm ²) | | 10 |
| (mm ²) | , | 0.5 |
| (mm ²) | , | 10 |
| (mm ²) | , | 0.5 |
| (mm ²) | , | 10 |
| 2 | (mm ²) | 6 |
| 2 | (mm ²) | 6 |
| (mm ²) ² | , | 0.5 |
| (mm ²) ² | , | 4 |
| (mm ²) ² | , | 0.5 |
| (mm ²) ² | , | 6 |
| | | M4 |
| Width)(mm) | (Blade thickness x | 1.0x5.5 |
| Philips | | PH3 |
| (N.m) | | 2.46 |
| | | 12~14 |
| | | TS-35 |
| | | YES |
| | | YES |

-UL

| | | |
|--------|-----|----|
| UL/CUL | AWG | 20 |
| UL/CUL | AWG | 6 |
| UL/CUL | AWG | 20 |

| | | |
|--------------|-------------|-----|
| UL/CUL | AWG | 6 |
| & | | |
| | (YES or NO) | YES |
| 가 | (YES or NO) | YES |
| | | 120 |
| | | -40 |

UL


| | |
|-----------------|------|
| (Group B) (AWG) | 20~6 |
| (Group C) (AWG) | 20~6 |

CUL


| | |
|-----------------|------|
| (Group B) (AWG) | 20~6 |
| (Group C) (AWG) | 20~6 |




VDE

| | |
|--------------------|--------|
| (mm ²) | 0.5~10 |
| (A) | 57 |



circuit diagram



| | |
|--|---|
|  | <p>TS-35 DIN-Rail For DP / DP-PE / DK / DK-PE / AK / AK-PE / AK..P series. Material is iron. Length of 1000mm / 2000mm.</p> |
|  | <p>DK10NC-PE End Cover For DK10N-PE Green-Yellow (default) Using UL94-V0 class of insulation material.</p> |
|  | <p>TM49W Marking Label For BEST APPLICATION : DP6, DP6-TN, DP6-TR, DP6-PE, DP6-TN-PE, DP6-TR-PE, DPTD6, DPTL6, DPTD6-D05, DPTD6-D06, DK6N, DK6N-TN, DK6N-PE, DKTD6N, DKTD6, DKTL6, PM6N AVAILABLE APPLICATION : DK10N, DK10N-TN, DK10N-PE, DK10-PE, DK16-PE, DK16N-PE, DK16H, DK35H, DK35H-PE, DK50, DK50-PE, DK95-PE, DK95, DK150, DK240 DKM5, DKM6, DKM8, DKM10, DKM12, DKMW8, DKM6-2, DKM8-2, DKM10-2, SS4, SS5, SS6, SS7, SS8, SS11 White color. Using UL94-V2 class of insulation material.</p> |