



DP1.5

DIN

>

:2021-09-08

:1.1



300V, 15A, Beige (default)

	Single level Feed-Through Terminal Block, Push-in Design
	Single level Feed Through Terminal Block
	Beige (default)
	Push-in Design
	Rail Mounting
(mm)	46.6
(mm)	3.5
(mm)	30.6
()	1P
	Single level
	2
	PA
	I
UL 94	V0
	500M at DC 500V

-IEC

(V)	500
(A)	17.5
(III/3)(V)	500
(III/3)(KV)	6
(mm ²)	0.14
(mm ²)	1.5
(mm ²)	0.14
(mm ²)	1.5
(mm ²) , ,	0.25
(mm ²) , ,	1.5
(mm ²) , ,	0.25
(mm ²) , ,	0.75
Width)(mm) (Blade thickness x	0.4x2.5
	8
	TS-35
	YES
	NO

-UL

(UL/CUL Group B)(V)	300
(UL/CUL Group B)(A)	15
(UL/CUL Group C)(V)	300
(UL/CUL Group C)(A)	15
UL/CUL AWG	26
UL/CUL AWG	14
UL/CUL AWG	26
UL/CUL AWG	14

&

(YES or NO)	YES
가 (YES or NO)	YES

	120
	-40

UL



(Group B)(AWG)	26~14
(Group B)(V)	300
(Group B)(A)	15
(Group C)(AWG)	26~14
(Group C)(V)	300
(Group C)(A)	15

CUL







(Group B)(AWG)	26~14
(Group B)(V)	300
(Group B)(A)	15
(Group C)(AWG)	26~14
(Group C)(V)	300
(Group C)(A)	15





VDE

(mm ²)	0.14~1.5
(V)	500
(A)	17.5





	<p>TS-35C DIN rail end cap For TS-35 rail. Black color. Using UL94-V2 class of insulation material.</p>
	<p>DSD03-1.5/2.5 Plug-in bridge For DP1.5 / DP2.5 / DP1.5-TN / DP2.5-TN / DP1.5-TR / DP2.5-TR Red color. Using UL94-V0 class of insulation material.</p>
	<p>DSD03-1.5XX Plug-in bridge For DP1.5/DP1.5-TR/DP1.5-TN Red color. Using UL94-V0 class of insulation material.</p>
	<p>AKSPS-001 Partition Plate For AK1.5 / AK2.5 / AK4 / DP1.5 / DP2.5 / DP4 Gray color. Using UL94-V0 class of insulation material.</p>
	<p>TS-35 DIN-Rail For DP / DP-PE / DK / DK-PE / AK / AK-PE / AK..P series. Material is iron. Length of 1000mm / 2000mm.</p>
	<p>DSD03-1.5/4 Plug-in bridge</p>

	<p>UL94-V0 class of insulation material. For DP1.5 / DP4 / DP1.5-TN / DP4-TN / DP1.5-TR / DP4-TR Red color. Using</p>
	<p>SS11 End Bracket For TS-35, TS-35/15 rails. Grey color. Using UL94-V0 class of insulation material.</p>
	<p>TM41W Marking Label For DP1.5,DP1.5-TN,DP1.5-TR,DP1.5-PE,DP1.5-TN-PE,DP1.5-TR-PE White color. Using UL94-V2 class of insulation material.</p>
	<p>TM46W Marking Label For DP1.5,DP1.5-TN,DP1.5-TR,DP1.5-PE,DP1.5-TN-PE,DP1.5-TR-PE White color. Using UL94-V2 class of insulation material.</p>
	<p>DP1.5C End Cover For DP1.5 Grey color. Using UL94-V0 class of insulation material.</p>