



# DP10-PE

DIN

>

:2021-09-08

:1.1



600V, Green-Yellow (default)

	Grounding Terminal Block, Push-in Design
	Grounding Terminal Blocks
	Green-Yellow (default)
	Push-in Design
	Rail Mounting
(mm)	69
(mm)	10
(mm)	49.3
( )	1P
	Single level
	2
	PA
	I
UL 94	V0
	500M at DC 500V

**-IEC**

(V)		1000
(III/3)(V)		1000
(III/3)(KV)		8
(mm <sup>2</sup> )		0.5
(mm <sup>2</sup> )		16
(mm <sup>2</sup> )		0.5
(mm <sup>2</sup> )		10
(mm <sup>2</sup> )	,	0.5
(mm <sup>2</sup> )	,	10
(mm <sup>2</sup> )	,	0.5
(mm <sup>2</sup> )	,	10
	<sup>2</sup> (mm <sup>2</sup> ) ,	1.5
	<sup>2</sup> (mm <sup>2</sup> ) ,	4
Width)(mm)	(Blade thickness x	1.0x5.5
		18
		TS-35
		YES
		YES

**-UL**

(UL/CUL Group B)(V)		600
(UL/CUL Group C)(V)		600
UL/CUL	AWG	20
UL/CUL	AWG	6
UL/CUL	AWG	20
UL/CUL	AWG	6

**&**

(YES or NO)		YES
가 (YES or NO)		YES

	120
	-40

**UL**


(Group B)(AWG)	20~6
(Group B)(V)	600
(Group C)(AWG)	20~6
(Group C)(V)	600








**CUL**

(Group B)(AWG)	20~6
(Group B)(V)	600
(Group C)(AWG)	20~6
(Group C)(V)	600

**VDE**

(mm <sup>2</sup> )	0.5~10
(V)	1000



	<p><b>TS-35C</b>  DIN rail end cap  For TS-35 rail. Black color. Using UL94-V2 class of insulation material.</p>
	<p><b>AKSPS-001</b>  Partition Plate  For AK1.5 / AK2.5 / AK4 / DP1.5 / DP2.5 / DP4 Gray color. Using UL94-V0 class of insulation material.</p>
	<p><b>TS-35</b>  DIN-Rail  For DP / DP-PE / DK / DK-PE / AK / AK-PE / AK..P series. Material is iron.  Length of 1000mm / 2000mm.</p>
	<p><b>SS11</b>  End Bracket  For TS-35, TS-35/15 rails. Grey color. Using UL94-V0 class of insulation material.</p>
	<p><b>DSD01-10XXN</b>  Plug-in bridge  For DP10, DP10-PE, DP10-TN, DP10-TN-PE, AK10, AK10-TN. Red color. Using UL94-V0 class of insulation material.</p>
	<p><b>TM45W</b>  Marking Label  For BEST APPLICATION : DP10, DP10-TN, DP10-PE, DP10-TN-PE  AVAILABLE APPLICATION : DP16, DP16-PE, DK10-TF(5X20) White color.  Using UL94-V2 class of insulation material.</p>
	<p><b>TM50W</b>  Marking Label</p>



class of insulation material.

For BEST APPLICATION : DP10, DP10-TN, DP10-PE, DP10-TN-PE

AVAILABLE APPLICATION : DP16, DP16-PE White color. Using UL94-V2